

Boat House Lift

Capacity: 4,000 lbs – 16,000 lbs

Presenting the **Boat House Lift**, powered by our patented Hi-Tide **Gear Drive**® and specifically designed to be mounted onto your boat house structure.



Warranty

- 10-year structural warranty
- 5-year gear box warranty
- 2-year motor warranty
- 1-year comprehensive warranty

Standard Features

- Patented, sealed aluminum Hi-Tide **Gear Drive**® gear box provides efficient, quiet and fast performance
- Fully adjustable design allowing Top Beams and Lifter Beams to be field cut for that perfect customized fit
- All-aluminum structure using 6061-T6 marine-grade aluminum
- Slide-on pulleys and dead-man brackets
- Welded construction throughout
- Stainless steel electric motors – made in America
- Machined aluminum cable winders that extend cable and driveshaft life
- Aluminum pulleys with greaseable stainless steel axle bolts

Options & Accessories

- Center shaft
- Top beam side pockets
- Aluminum bunks
- Remote control
- Limit switch
- Aluminum service platform
- Aluminum catwalk
- Additional options and accessories available

Specifications for the Gear Drive Boat House Lift™

All specifications subject to change without notice. Consult with Hi-Tide for X2 electrical specifications.

Structural Specifications for the Gear Drive Boat House Lift										
LIFT MODEL	STAINLESS STEEL CABLE*	WINDER	TRAVEL	SPEED	MOTOR (STAINLESS STEEL)	REQUIRED VOLTS/AMPS	LIFTER BEAM	TOP BEAM	WOOD BUNKS	GUIDE POLE WEIGHT PIPE
4,000 LB - single part	1/4" x 25' & 35'	2" x 20" L/R	16'	40"/min	1 hp	120V/15A 240V/15A	6" x 12'	6" x 14'	2" x 8" x 12'	2" x 6'-8" 1-1/2" x 50"
8,000 LB - 2-part	1/4" x 35' & 45'	2" x 20" L/R	8'	20"/min	1 hp	120V/15A 240V/15A	6" x 13'	6" x 15'	2" x 8" x 12'	2" x 6'-8" 1-1/2" x 50"
8,000 LB - single part two motor	5/16" x 25'	2" x 16" std.	23'	40"/min	(2) 1 hp	240V/15A	6" x 13'	6" x 15'	2" x 8" x 12'	2" x 6'-8" 1-1/2" x 50"
10,000 LB - 2-part two motor	1/4" x 45'	2" x 16" std.	13'	20"/min	(2) 1/2 hp	120V/15A 240V/15A	6" x 13'	6" x 15'	2" x 8" x 12'	2" x 6'-8" 1-1/2" x 50"
12,000 LB - 2-part two motor	5/16" x 45'	2" x 16" std.	13'	20"/min	(2) 3/4 hp	120V/30A 240V/15A	8" x 13'	8" x 16'	2" x 8" x 12'	2" x 6'-8" 1-1/2" x 50"
16,000 LB - 2-part two motor	5/16" x 45'	2" x 16" std.	13'	20"/min	(2) 1 hp	240V/15A	10" x 14'	10" x 16'	3" x 10" x 12'	2" x 10'-" 1-1/2" x 100"

*Center shaft option changes cable lengths on single motor lifts, contact Hi-Tide Sales as necessary for proper cable lengths for excessively high boat houses.